

Message

From: Mendez, Thomas [mendez.thomas@epa.gov]
Sent: 8/16/2017 7:29:47 PM
To: Beslow, Mike [beslow.mike@epa.gov]
Subject: FW: ArcelorMittal Outfall Report, Wednesday, August 16th, 2017
Attachments: FROM IHWPQ204@arcelormittal.com.pdf; IMG_0149.jpg; IMG_0148.jpg; IMG_0147.jpg

So do we need to remind them again that everything at end of pipe (EoP) is considered a release and that a "threat of release" is still a release as well? The pictures always are taken away from the EoP and not even close to representative of where a first release would be.

Thomas Mendez
Emergency Response Branch
On Scene Coordinator
U.S. EPA Region 5
77 W Jackson Blvd (SE-5J)
Chicago, Illinois 60604
312-353-8242

Confidential: This transmission may contain deliberative, attorney-client, attorney work product or otherwise privileged material. Do not release under FOIA without appropriate review. If this message has been received by you in error, you are instructed to delete this message, together with any attachments, from your computer and all storage media, whether electronic or hard copy.

From: Lurtz, Kevin [mailto:Kevin.Lurtz@arcelormittal.com]
Sent: Wednesday, August 16, 2017 2:25 PM
To: sean.fitzgerald@uscg.mil; Arnold, Paul S LT <Paul.S.Arnold2@uscg.mil>; Beslow, Mike <beslow.mike@epa.gov>; nream@idem.IN.gov; Mendez, Thomas <mendez.thomas@epa.gov>
Cc: Doyle, Kevin <Kevin.Doyle@arcelormittal.com>; Barnett, Thomas R <Thomas.Barnett@arcelormittal.com>
Subject: ArcelorMittal Outfall Report, Wednesday, August 16th, 2017

Kevin J. Lurtz | Environmental Engineer
ArcelorMittal Indiana Harbor LLC | ArcelorMittal USA LLC.

MEU Environmental | 3001 Dickey Road, Sta. 001
East Chicago, IN 46312

T +219 399 3189 | **F** +219 399 3211 | **M** +219 552 4517 | www.arcelormittal.com

 Please consider the environment before printing this email. ArcelorMittal encourages environmental awareness.